

# Product datasheet

Specifications



## Network Management Card for Easy UPS, 1-Phase

AP9544

### Overview

#### Presentation

The Network Management Card for Easy UPS On-Line (AP9544) enables secure remote monitoring and control of one Easy UPS Online through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 12-month Secure NMC Subscription, that allows the customer to access future firmware updates, is included with the purchase of the card\*. Upon expiration of the provided Secure NMC Subscription the purchase of a new Secure NMC Subscription is required to access future firmware updates.

\*The NMC Firmware must be V2.5 or later. Find the latest Firmware in the Software and Firmware section below.

#### Lead Time

Usually in Stock

### Main

**Product Or Component Type** Network interface

**Provided Equipment** User manual  
USB cable

### Physical

**Height** 4.4 cm

**Width** 5.2 cm

**Depth** 8.0 cm

**Net Weight** 0.05 kg

**Mounting Preference** No preference

**Mounting Mode** Not rack-mountable

### Conformance

**Standards** CISPR 32  
EN 55024  
EN 61000-4-2  
EN 61000-4-3  
EN 61000-4-4  
EN 61000-4-5  
EN 61000-4-6  
EN 61000-4-8  
EN 61000-6-2  
EN/IEC 62040-2

**Product Certifications** FCC Class A  
ICES-003  
VCCI class A  
AS/NZS

### Environmental

<b>Ambient Air Temperature For Operation</b>	-5...45 °C
<b>Operating Altitude</b>	0...10000 ft
<b>Relative Humidity</b>	0...95 %
<b>Ambient Air Temperature For Storage</b>	-15...65 °C
<b>Storage Altitude</b>	0.00...15240.00 m
<b>Storage Relative Humidity</b>	0...95 %

## Communications & Management

<b>Communication Network Type</b>	10/100/1000BASE-T
-----------------------------------	-------------------

## Packing Units

<b>Unit Type Of Package 1</b>	PCE
<b>Number Of Units In Package 1</b>	1
<b>Package 1 Height</b>	4.600 cm
<b>Package 1 Width</b>	16.500 cm
<b>Package 1 Length</b>	23.000 cm
<b>Package 1 Weight</b>	302.000 g
<b>Unit Type Of Package 2</b>	P06
<b>Number Of Units In Package 2</b>	44
<b>Package 2 Height</b>	68.000 cm
<b>Package 2 Width</b>	60.000 cm
<b>Package 2 Length</b>	80.000 cm
<b>Package 2 Weight</b>	21.000 kg

## Contractual warranty

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more about Green Premium >](#)



RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

## Certifications & Standards

<b>Reach Regulation</b>	<a href="#">REACH Declaration</a>
<b>Eu Rohs Directive</b>	Compliant with Exemptions
<b>China Rohs Regulation</b>	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
<b>Weee</b>	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins