

# BCS205

Unmanaged Industrial Ethernet Switch

## Ordering information

| Model  | Descriptions  |
|--------|---|
| BCS205 | 5-port Industrial Ethernet Switch unmanaged 5-port TP(RJ45) support 10/100Base-T(X) |













# Product Descriptions

## Introduction:

The BCS205 series of industrial Ethernet switches are entry-level industrial 5-port Ethernet switches that provide an economical solution for your industrial Ethernet connection, support IEEE802.3/802.3u/802.3x. Dustproof and full close structure and the IP30 case with LED indicators make the plug-and-play BCS205 switches easy to use and reliable. These switches have been designed for harsh industrial environments.

BCS205 Supports 5 ports 10/100Base-T(X), Full/Half duplex mode, and auto MDI/MDI-X connection.

## Features:

- 1. IEEE802.3/ 802.3u/ 802.3x
- 2. Support auto negotiation speed, F/H duplex mode, and auto send data control
- 3. Plug-and-play, auto MDI/MDI-X connection
- 4. Store and Forward 100M
- 5. Switching process type
- 6. Broadcast storm protection
- 7. Network work state LED indicator
- 8. 12~36VDC power input Operating temperature ranges from -40 to 75°C
- 9. Industry standard design, dustproof and close design IP30, rugged high-strength metal case

# Product Standard

## Specification:

#### Interface

RJ45 Ports: 10/100BaseT(X) auto connection, Full /Half duplex

or force work mode, and support MDI/MDI-X

connection

## Technology

Standard: IEEE802.3, IEEE802.3x, IEEE802.3u Forwarding and Filtrate Rate: 148810pps

Transmit type: Store and Forward switching process type

Support 1K MAC Address

## Power

Input Voltage: 12VDC~36VDC, Overload Current Protection

Connection: 3 bit terminal block

### Mechanical

Dimensions: (L×W×H): 103mm×78mm×32mm Packaging: IP 30 Protection, Metal case

## Environmental

Operating Temperature: -40 to 75°C -45 to 85 °C Storage Temperature:

Ambient Relative Humidity: 10% to 95% (non-condensing)

## Approvals

FCC Part 15, CISPR (EN55022) class A EMI:

EN61000-4-2 (ESD), Level 4 EMS:

EN61000-4-3 (RS), Level 3 EN61000-4-4 (EFT), Level 4 EN61000-4-5 (Surge), Level 4 EN61000-4-6 (CS), Level 3 EN61000-4-8, Level 5

IEC 60068-2-27 Shock: Free Fall: IEC 60068-2-32 Vibration: IEC 60068-2-6

Approvals: FCC,CE, RoHS approvals